




r is ~~0 or~~ 1;

the sum  $q + r + s + t + u$  is 0, 1, 2, 3, or 4;

$R^9$ ,  $R^{10}$ ,  $R^{11}$ , and  $R^{12}$  are independently from each other hydrogen or  $C_{1-6}$  alkyl;

Q is  $>N-R^{13}$  or




wherein o is 0, 1 or 2;

T is  $-N(R^{15})(R^{16})$  or hydroxyl;

$R^{13}$ ,  $R^{15}$ , and  $R^{16}$  are independently from each other hydrogen or  $C_{1-6}$  alkyl;

$R^{14}$  is hydrogen, aryl or hetaryl;

or L is



p is 0 or 1;


q, s, t, u are independently from each other 0, 1, 2, 3 or 4;

r is 0 or 1;

the sum  $q + r + s + t + u$  is 0, 1, 2, 3, or 4;

$R^9$ ,  $R^{10}$ ,  $R^{11}$ , and  $R^{12}$  are independently from each other hydrogen or  $C_{1-6}$  alkyl;

Q is  $>N-R^{13}$  or




wherein o is 0, 1 or 2;

T is  $-N(R^{15})(R^{16})$  or hydroxyl;

$R^{13}$ ,  $R^{15}$ , and  $R^{16}$  are independently from each other hydrogen or  $C_{1-6}$  alkyl;


$R^{14}$  is hydrogen, aryl or hetaryl;

G is  $-O-(CH_2)_k-R^{17}$ ,



wherein  $R^{17}$ ,  $R^{18}$ ,  $R^{19}$ ,  $R^{20}$  and  $R^{21}$  independently from each other are hydrogen, halogen, aryl, hetaryl,  $C_{1-6}$ -alkyl or  $C_{1-6}$ -alkoxy;  
 k is 0, 1 or 2;

J is  $-O-(CH_2)_l-R^{22}$ ,



wherein  $R^{22}$ ,  $R^{23}$ ,  $R^{24}$ ,  $R^{25}$  and  $R^{26}$  independently from each other are hydrogen, halogen, aryl, hetaryl,  $C_{1-6}$ -alkyl or  $C_{1-6}$ -alkoxy;

l is 0, 1 or 2;

a is 0, 1, or 2;

b is 0, 1, or 2;

c is 0, 1, or 2;

d is 0 or 1;

e is 0, 1, 2, or 3;

f is 0 or 1;

$R^5$  is hydrogen or  $C_{1-6}$ -alkyl optionally substituted with one or more hydroxyl, aryl or hetaryl;

$R^6$  and  $R^7$  are independently from each other hydrogen or  $C_{1-6}$ -alkyl, optionally substituted with one or more halogen, amino, hydroxyl, aryl, or hetaryl;

$R^8$  is hydrogen or  $C_{1-6}$ -alkyl, optionally substituted with one or more halogen, amino, hydroxyl, aryl, or hetaryl;

$R^6$  and  $R^7$  or  $R^6$  and  $R^8$  or  $R^7$  and  $R^8$  may optionally form  $-(CH_2)_i-U-(CH_2)_j-$ , wherein i and j independently from each other are 1, 2 or 3 and U is -O-, -S-, or a valence bond;

M is arylene, hetarylene, -O-, -S- or  $-\text{CR}^{27}=\text{CR}^{28}-$ ;


$\text{R}^{27}$  and  $\text{R}^{28}$  are independently from each other hydrogen or  $\text{C}_{1-6}$ -alkyl, optionally substituted with one or more aryl or hetaryl;

or a pharmaceutically acceptable salt thereof.

2. (Original) The compound of claim 1 wherein  $\text{R}^1$  is  $\text{C}_{1-6}$ -alkyl.

3. (Original) The compound of claim 1 wherein  $\text{R}^2$  is  $\text{C}_{1-6}$ -alkyl.

4. (Currently amended) The compound of claim 1 wherein L is



wherein  $\text{R}^4$  is hydrogen or  $\text{C}_{1-6}$  alkyl;

p is 0 or 1;


q, s, t, u are independently from each other 0, 1, 2, 3 or 4;

r is ~~0~~ or 1;

the sum  $q + r + s + t + u$  is 0, 1, 2, 3, or 4;

$\text{R}^9$ ,  $\text{R}^{10}$ ,  $\text{R}^{11}$ , and  $\text{R}^{12}$  are independently from each other hydrogen or  $\text{C}_{1-6}$  alkyl;

Q is  $>\text{N-R}^{13}$  or




wherein o is 0, 1 or 2;

T is  $-\text{N}(\text{R}^{15})(\text{R}^{16})$  or hydroxyl;

$\text{R}^{13}$ ,  $\text{R}^{15}$ , and  $\text{R}^{16}$  are independently from each other hydrogen or  $\text{C}_{1-6}$  alkyl; and

$\text{R}^{14}$  is hydrogen, aryl or hetaryl.

5. (Original) The compound of claim 1 wherein L is




wherein q, s, t, u are independently from each other 0, 1, 2, 3 or 4;

r is 0 or 1;

the sum  $q + r + s + t + u$  is 0, 1, 2, 3, or 4;

$\text{R}^9$ ,  $\text{R}^{10}$ ,  $\text{R}^{11}$ , and  $\text{R}^{12}$  are independently from each other hydrogen or  $\text{C}_{1-6}$  alkyl;

Q is  $>\text{N-R}^{13}$  or




wherein o is 0, 1 or 2;

T is -N(R<sup>15</sup>)(R<sup>16</sup>) or hydroxyl;

R<sup>13</sup>, R<sup>15</sup>, and R<sup>16</sup> are independently from each other hydrogen or C<sub>1-6</sub> alkyl; and


R<sup>14</sup> is hydrogen, aryl or hetaryl.

6. (Original) The compound of claim 1 wherein G is



wherein R<sup>17</sup>, R<sup>18</sup>, R<sup>19</sup>, R<sup>20</sup> and R<sup>21</sup> independently from each other are hydrogen, halogen, aryl, hetaryl, C<sub>1-6</sub>-alkyl or C<sub>1-6</sub>-alkoxy.

7. (Original) The compound of claim 1 wherein J is



wherein R<sup>22</sup>, R<sup>23</sup>, R<sup>24</sup>, R<sup>25</sup> and R<sup>26</sup> independently are hydrogen, halogen, aryl, hetaryl, C<sub>1-6</sub>-alkyl or C<sub>1-6</sub>-alkoxy.

8. (Original) The compound of claim 1 wherein M is arylene or  $-CR^{27}=CR^{28}-$ , wherein  $R^{27}$  and  $R^{28}$  independently are hydrogen or  $C_{1-6}$ -alkyl, optionally substituted with aryl or hetaryl.


9. (Original) The compound of claim 1 wherein  $R^6$  and  $R^7$  independently from each other are hydrogen or  $C_{1-6}$ -alkyl.

10. (Original) The compound of claim 1 wherein  $R^6$  and  $R^7$  form  $-(CH_2)_i-U-(CH_2)_j-$ , wherein i and j independently from each other are 1, 2 or 3 and U is  $-O-$ ,  $-S-$ , or a valence bond.

11. (Original) The compound of claim 1 wherein  $R^8$  is hydrogen or  $C_{1-6}$ -alkyl.


12. (Currently amended) The compound of claim 1 selected from

(2E)-5-Amino-5-methylhex-2-enoic acid N-((1R)-1-{N-[(1R)-1-benzyl-2-(4-((dimethylamino)methyl)piperidin-1-yl)-2-oxoethyl]-N-methylcarbamoyl}-2-(2-naphthyl)ethyl)-N-methylamide




(2E)-5-Amino-5-methylhex-2-enoic acid N-((1R)-1-{N-[(1R)-1-benzyl-2-((3S)-3-(dimethylaminomethyl)piperidin-1-yl)-2-oxoethyl]-N-methylcarbamoyl}-2-(2-naphthyl)ethyl)-N-methylamide







(2E)-4-(1-Aminocyclobutyl)but-2-enoic acid N-((1R)-1-{N-[(1R)-1-benzyl-2-((3S)-3-(dimethylaminomethyl)piperidin-1-yl)-2-oxoethyl]-N-methylcarbamoyl}-2-(2-naphthyl)ethyl)-N-methylamide




(2E)-5-Amino-5-methylhex-2-enoic acid N-((1R)-1-{N-[(1R)-1-benzyl-2-((2S)-2-((dimethylamino)methyl)pyrrolidin-1-yl)-2-oxoethyl]-N-methylcarbamoyl}-2-(2-naphthyl)ethyl)-N-methylamide




N-((1R)-1-{N-[(1R)-1-Benzyl-2-((2S)-2-((dimethylamino)methyl)pyrrolidin-1-yl)-2-oxoethyl]-N-methylcarbamoyl}-2-(2-naphthyl)ethyl)-N-methyl-3-((methylamino)methyl)benzamide




(2E)-5-Amino-5-methylhex-2-enoic acid N-((1R)-1-{N-[(1R)-1-benzyl-2-(4-(dimethylamino)piperidin-1-yl)-2-oxoethyl]-N-methylcarbamoyl}-2-(2-naphthyl)ethyl)-N-methylamide [[.]]



(2E)-5-Amino-5-methylhex-2-enoic acid N-methyl-N-[(1R)-1-(N-methyl-N-[(1R)-1-[N-methyl-N-(1-methylpiperidin-4-yl)carbamoyl]-2-phenylethyl}carbamoyl)-2-(2-naphthyl)ethyl]amide




3-Aminomethyl-N-((1R)-1-{N-[(1R)-1-benzyl-2-(4-methylpiperazin-1-yl)-2-oxoethyl]-N-methylcarbamoyl}-2-(2-naphthyl)ethyl)-N-methylbenzamide




(2E)-5-Amino-5-methylhex-2-enoic acid N-((1R)-1-{N-[(1R)-1-benzyl-2-(4-methylpiperazin-1-yl)-2-oxoethyl]-N-methylcarbamoyl}-2-(2-naphthyl)ethyl)-N-methylamide

CN(C)C(=O)/C=C/C(=O)N(C)[C@H](c1ccc2ccccc12)C(=O)N(C)[C@@H](Cc1ccccc1)C(=O)NC[C@H]1CC(C)(C)N(CC1(C)C)CCN(C)C(=O)[C@H](Cc1ccccc1)C(=O)NC(C)(C)CC(N)C2(C)CCC(C)(C)C2


(2E)-5-Amino-3,5-dimethylhex-2-enoic acid N-methyl-N-((1R)-1-{N-methyl-N-[(1R)-2-phenyl-1-((2,2,6,6-tetramethylpiperidin-4-yl)carbamoyl)ethyl]carbamoyl}-2-(2-naphthyl)ethyl)amide




(2E)-4-(1-Aminocyclobutyl)but-2-enoic acid N-((1R)-1-{N-[(1R)-1-benzyl-2-(4-methylpiperazin-1-yl)-2-oxoethyl]-N-methylcarbamoyl}-2-(2-naphthyl)ethyl)-N-methylamide




(2E)-5-Amino-3,5-dimethylhex-2-enoic acid N-((1R)-1-{N-[(1R)-1-benzyl-2-(4-methylpiperazin-1-yl)-2-oxoethyl]-N-methylcarbamoyl}-2-(2-naphthyl)ethyl)-N-methylamide




(2E)-4-(1-Aminocyclobutyl)but-2-enoic acid N-((1R)-1-{N-[(1R)-1-benzyl-2-(4-hydroxypiperidin-1-yl)-2-oxoethyl]-N-methylcarbamoyl}-2-(biphenyl-4-yl)ethyl)-N-methylamide




(2E)-5-Amino-5-methylhex-2-enoic acid N-((1R)-1-{N-[(1R)-1-benzyl-2-(4-hydroxypiperidin-1-yl)-2-oxoethyl]-N-methylcarbamoyl}-2-(biphenyl-4-yl)ethyl)-N-methylamide




(2E)-5-Amino-3,5-dimethylhex-2-enoic acid N-((1R)-1-{N-[(1R)-1-benzyl-2-(4-hydroxypiperidin-1-yl)-2-oxoethyl]-N-methylcarbamoyl}-2-(biphenyl-4-yl)ethyl)-N-methylamide



(2E)-5-Amino-5-methylhex-2-enoic acid N-((1R)-1-{N-[(1R)-1-benzyl-2-(4-hydroxypiperidin-1-yl)-2-oxoethyl]-N-methylcarbamoyl}-2-(2-naphthyl)ethyl)-N-methylamide




(2E)-5-Amino-3,5-dimethylhex-2-enoic acid N-((1R)-1-{N-[(1R)-1-benzyl-2-(4-hydroxypiperidin-1-yl)-2-oxoethyl]-N-methylcarbamoyl}-2-(2-naphthyl)ethyl)-N-methylamide




(2E)-4-(1-Aminocyclobutyl)but-2-enoic acid N-((1R)-1-{N-[(1R)-1-benzyl-2-(4-hydroxypiperidin-1-yl)-2-oxoethyl]-N-methylcarbamoyl}-2-(2-naphthyl)ethyl)-N-methylamide







(2E)-5-Amino-5-methylhex-2-enoic acid N-((1R)-1-{N-[(1R)-1-(4-fluorobenzyl)-2-(4-hydroxypiperidin-1-yl)-2-oxoethyl]-N-methylcarbamoyl}-2-(2-naphthyl)ethyl)-N-methylamide




(2E)-5-Amino-3,5-dimethylhex-2-enoic acid N-((1R)-1-{N-[(1R)-1-(4-fluorobenzyl)-2-(4-hydroxypiperidin-1-yl)-2-oxoethyl]-N-methylcarbamoyl}-2-(2-naphthyl)ethyl)-N-methylamide




(2E)-5-Amino-5-methylhex-2-enoic acid N-((1R)-1-{N-[(1R)-1-benzyl-2-(4-hydroxy-4-(2-thienyl)piperidin-1-yl)-2-oxoethyl]-N-methylcarbamoyl}-2-(2-naphthyl)ethyl)-N-methylamide




(2E)-5-Amino-5-methylhex-2-enoic acid N-((1R)-1-{N-[(1R)-1-(3-hydroxycyclohexylcarbamoyl)-2-phenylethyl]-N-methylcarbamoyl}-2-(2-naphthyl)ethyl)-N-methylamide




(2E)4-(1-Aminocyclobutyl)but-2-enoic acid N-((1R)-1-{N-[(1R)-1-benzyl-2-(4-(dimethylamino)piperidin-1-yl)-2-oxoethyl]-N-methylcarbamoyl}-2-(2-naphthyl)ethyl)-N-methylamide




(2E)-5-Amino-5-methylhex-2-enoic acid N-((1R)-1-{N-[(2R)-2-(4-hydroxypiperidin-1-yl)-2-oxo-1-((2-thienyl)methyl)ethyl]-N-methylcarbamoyl}-2-(2-naphthyl)ethyl)-N-methylamide




(2E)-5-Amino-3,5-dimethylhex-2-enoic acid N-((1R)-1-{N-[(2R)-2-(4-hydroxypiperidin-1-yl)-2-oxo-1-((2-thienyl)methyl)ethyl]-N-methylcarbamoyl}-2-(2-naphthyl)ethyl)-N-methylamide




(2E)-5-Amino-5-methylhex-2-enoic acid N-((1R)-2-(biphenyl-4-yl)-1-{N-[(2R)-2-(4-hydroxypiperidin-1-yl)-2-oxo-1-((2-thienyl)methyl)ethyl]-N-methylcarbamoyl}ethyl)-N-methylamide




(2E)-5-Amino-3,5-dimethylhex-2-enoic acid N-((1R)-2-(biphenyl-4-yl)-1-{N-[(1R)-2-(4-hydroxypiperidin-1-yl)-2-oxo-1-((2-thienyl)methyl)ethyl]-N-methylcarbamoyl}ethyl)-N-methylamide



(2E)-5-Methyl-5-(methylamino)hex-2-enoic acid N-((1R)-1-{N-[(1R)-1-benzyl-2-(4-hydroxypiperidin-1-yl)-2-oxoethyl]-N-methylcarbamoyl}-2-(biphenyl-4-yl)ethyl)-N-methylamide



(2E)-4-(1-Aminocyclobutyl)but-2-enoic acid ((1R)-1-{N-[(1R)-1-benzyl-2-(4-hydroxypiperidin-1-yl)-2-oxoethyl]-N-methylcarbamoyl}-2-(biphenyl-4-yl)ethyl)amide, **or**



and pharmaceutically acceptable salts thereof.

13. (Withdrawn) A method of treating growth retardation in connection with asthma, the method comprising administering to a subject in need thereof an effective amount of a compound of claim 1.

14. (Withdrawn) The method of claim 13, wherein the compound is a growth hormone secretagogue.

15. (Previously presented) A composition comprising, as an active ingredient, a compound of claim 1 together with a pharmaceutically acceptable carrier or diluent.
16. (Withdrawn) A method of stimulating the release of growth hormone from the pituitary of a mammal, the method comprising administering to the mammal an effective amount of a compound of claim 1 or a composition of claim 15.
17. (Withdrawn) A method of treating growth retardation in connection with juvenile rheumatic arthritis or systic fibrosis, the method comprising administering to a subject in need thereof an effective amount of a compound of claim 1.
18. (Cancelled)